

## Refine Search

### Search Results -

Term	Documents
"10%"	650178
"10%S"	5
"95%"	288413
"95%S"	3
ETHERNET	70858
ETHERNETS	594
(ETHERNET AND ("95%" NEAR "10%")).PGPB,USPT.	5
(10% NEAR 95% AND ETHERNET).PGPB,USPT.	5

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L40

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Wednesday, November 15, 2006

[Purge Queries](#)[Printable Copy](#)[Create Case](#)**Set Name Query**

side by side

**Hit Count Set Name**

result set

DB=PGPB,USPT; PLUR=YES; OP=ADJ

<u>L40</u>	10% near 95% and ethernet	5	<u>L40</u>
<u>L39</u>	10 5% and 0-60 and ethernet	0	<u>L39</u>
<u>L38</u>	60 near celcius and humidity and 95%	0	<u>L38</u>
<u>L37</u>	L35 and ethernet	6	<u>L37</u>
<u>L36</u>	l35 and ethernet near switch	0	<u>L36</u>
<u>L35</u>	L34 and temperature	6	<u>L35</u>

<u>L34</u>	L33 and humidity	6	<u>L34</u>
<u>L33</u>	industrial near ethernet	129	<u>L33</u>
<u>L32</u>	L31 and humidity	0	<u>L32</u>
<u>L31</u>	ethernet near military	2	<u>L31</u>
<u>L30</u>	L28 and humidity	0	<u>L30</u>
<u>L29</u>	L28 and ethernet	0	<u>L29</u>
<u>L28</u>	military near switch	10	<u>L28</u>
<u>L27</u>	military near ethernet near switch	0	<u>L27</u>
<u>L26</u>	L25 and temperature	17	<u>L26</u>
<u>L25</u>	L24 and humidity	17	<u>L25</u>
<u>L24</u>	L23 and military	123	<u>L24</u>
<u>L23</u>	ethernet and combat	977	<u>L23</u>
<u>L22</u>	L19 and hardened	0	<u>L22</u>
<u>L21</u>	L19 and harsh	5	<u>L21</u>
<u>L20</u>	L19 and industrial	5	<u>L20</u>
<u>L19</u>	L18 and temperature	6	<u>L19</u>
<u>L18</u>	L17 and ethernet near switch	6	<u>L18</u>
<u>L17</u>	L16 and humidity	126	<u>L17</u>
<u>L16</u>	ethernet and 95%	1648	<u>L16</u>
<u>L15</u>	L12 and temperature	10	<u>L15</u>
<u>L14</u>	L13 and humidity	0	<u>L14</u>
<u>L13</u>	L11 and temperature	2	<u>L13</u>
<u>L12</u>	L9 and industrial near ethernet	21	<u>L12</u>
<u>L11</u>	L9 and rugged near ethernet	2	<u>L11</u>
<u>L10</u>	L9 and hardened near ethernet	5	<u>L10</u>
<u>L9</u>	ethernet near switch and industrial	297	<u>L9</u>
<u>L8</u>	L7 and ethernet near switch	0	<u>L8</u>
<u>L7</u>	L1 and ethernet	11	<u>L7</u>
<u>L6</u>	L1 and hardened	0	<u>L6</u>
<u>L5</u>	L1 and military	0	<u>L5</u>
<u>L4</u>	L1 and industrial	0	<u>L4</u>
<u>L3</u>	L1 and rugged	0	<u>L3</u>
<u>L2</u>	L1 and ethernet and industrial	0	<u>L2</u>
<u>L1</u>	370/372.ccls.	47	<u>L1</u>

END OF SEARCH HISTORY

<http://www.garrettcom.com/techsupport/hardware/userguides/6k8ug.pdf> - **Cached** -

#### 42 JetNet 3705

Industrial Ethernet Switch. 1-36 www.korenix.com. JetNet 3705 Industrial 5-port ... Temp Model (-w): -40~80°C(-40~176°F) Operating Hu

[http://www.raster-products.nl/downloads/Korenix\\_JetNet\\_3705.pdf](http://www.raster-products.nl/downloads/Korenix_JetNet_3705.pdf) - **Cached** -

#### 43 无标题文档

High-performance Industrial Ethernet Switch. 10/100Base-T/TX Ethernet ports ... to IEEE802.3/802.U/802.3X. Transparent transmission

<http://www.kyland.cn/cn/2/cp/4j/KIEN8000.htm> - **Cached** -

#### 44 Unmanaged EtherDevice

40 to 85°C (-40 to 185°F) Ambient Relative Humidity: ... Transmits VLAN Tag Packets Transparently IEEE 802.1 ... EDS-205: Industrial I

[http://moxa.com.ua/Net\\_cat\\_51/2.Umanaged\\_Switch.pdf](http://moxa.com.ua/Net_cat_51/2.Umanaged_Switch.pdf) - **Cached** -

#### 45 Hirschmann MS4128-5 Switches

Description: Power MICE, modular, managed Industrial ETHERNET Switch, store and ... QoS 4 classes, prioritization (IEEE 802.1D/p), V

[http://www.hirschmann.de/Industrial-Ethernet/en/products/getprod.php?orderno=943%20009-001&SP\\_ID=en](http://www.hirschmann.de/Industrial-Ethernet/en/products/getprod.php?orderno=943%20009-001&SP_ID=en) - **Cached** -

#### 46 PRODUCT FEATURES

... switch to forward multicast traffic intelligently. VLAN ... 516TX Industrial Ethernet Switch Ordering Information ... Operating Humidity:

<http://www.intertechna.se/pdf/516TX.pdf> - **Cached** -

#### 47 Rail-Switch RS

DHCP, SNTP, IGMP, GMRP, VLAN support • Seamless ... description RS2-16M family Description managed Industrial ETHERNET Swit

[http://www.produx.com.pl/hir/pdf/Flyer\\_RS2-16M\\_US.pdf](http://www.produx.com.pl/hir/pdf/Flyer_RS2-16M_US.pdf) - **Cached** -

#### 48 PRODUCT FEATURES

... switch to forward multicast traffic intelligently. VLAN ... 517FX

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"INDUSTRIAL ETHERNET SWITCH" "PORTS"

[Search](#)

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web** Results 1 - 10 of about 49 for "INDUSTRIAL ETHERNET SWITCH" "PORTS" "95%" AND "HUMIDITY".

### Hardened Ethernet Switch

[www.aaxeon.com](#) Extended Temperature -40° - 80°C for Harsh Industrial Environments

Sponsored Links

Sponsored Links

### Industrial Ethernet

[Neteon.Net/IndustrialEthernet](#) 5 & 8-Port Industrial Switches Redundant, Rugged, Cost Effective

### Industrial Ethernet

Industrial Grade Ethernet Switches, GigE Redundant Rings, Converters.  
[www.tccomm.com](#)

### MOXA EtherDevice Switch EDS-508 Series - Industrial 8-Port Managed ...

Use **VLAN** to ease network planning and QoS to increase determinism. ... Industrial Redundant Ethernet Switch with 8 10/100BaseT(X) **ports** ...

[www.moxa.com/product/EDS-508.htm](#) - 95k - [Cached](#) - [Similar pages](#)

### MOXA EtherDevice Switch EDS-726---Industrial 26-Port Modular ...

The modular design lets you install up to 2 Gigabit **ports** and 24 fast Ethernet ... Supports IEEE 802.1Q **VLAN** and GVRP protocol to ease network planning ...

[www.moxa.com/product/EDS-726.htm](#) - 123k - [Cached](#) - [Similar pages](#)

### SIXNET Industrial Ethernet Switches - Rugged & Reliable

The SIXNET RK25 is a truly **industrial Ethernet switch** offering up to 25 total **ports** ... **Humidity**, 5 to 95% RH (non-condensing) (Conformal coating optional) ...

[www.sixnetio.com/html\\_files/products\\_and\\_groups/switches\\_managed\\_rk25.htm](#) - 74k - [Cached](#) - [Similar pages](#)

### [PDF] Industrial Ethernet Switch Solutions

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Ambient Relative **Humidity**: 5% to 95% (non-condensing) ... 10/100BaseT(X) **ports**, 0 to 60°C. EDS-305-M-SC: Unmanaged Ethernet Switch with ...

[www.dobalkans.com/download/catalogs/Industrial\\_ethernet.pdf](#) - [Similar pages](#)

### Sunix GROUP

Operating Temperature, Standard 0°C ~ 60 °C / Extend -20°C to 75°C. Operating **Humidity**, 5 ~ 95% RH. Storage Temperature, -10 °C~ 85 °C ...

[www.sunix.com.tw/ipc/sunix\\_en/detail.php?class\\_a=&prod\\_id=188](#) - 36k -

[Cached](#) - [Similar pages](#)

### [PDF] LynxSwitch L400 series

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Ports**. Input power. Transient protected. 19–60 VDC redundant inputs with input voltage ...

**Humidity** 5–95% RHD non-condensing (100% for coated version). ...

[www.westermo.com/dman/Document.phx/Datasheets/](#)

[Ethernet/English/LynxSwitch+400+datasheet+ENG.pdf?folderId=...](#) - [Similar pages](#)

### [PDF] Hardware Installation Guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)

destination address, it is sent to all **ports**. IEEE 802.1Q, **VLAN** ... C to 60 ... Operating

**Humidity**:. 10% to 95%. (Non Condensing). Operating Altitude: ...

[www.n-tron.com/pdf/608MFX\\_Installation.pdf](#) - [Similar pages](#)



[\[PDF\] 600Series-Manual 12-16-05](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

0°C to 60°C. Storage Temperature: -40°C to 80°C. Operating **Humidity**: 10% to 95%.  
(Non Condensing). Operating Altitude: 0 to 6500 ft. Shock and Vibration ...  
[www.n-tron.com/pdf/600SeriesMan.pdf](http://www.n-tron.com/pdf/600SeriesMan.pdf) - [Similar pages](#)

[\[PDF\] Weed Instrument](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

60 Units, 10000ft (3km). None. Electrical Interface Modules - Common Features. Ambient  
Conditions: -40 to 85°C Operational, 0 to 95% Rel. **Humidity** Non- ...  
[www.weedinstrument.com/product\\_groups/fiber\\_cb.pdf](http://www.weedinstrument.com/product_groups/fiber_cb.pdf) - [Similar pages](#)

[\[PDF\] Rail-Switch RS2-16M](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

16 port managed/unmanaged switch • 2 uplink **ports** in several variants ... Relative  
**humidity** (non-condensing). 10% to 95%. Mechanical construction ...  
[www.produs.com.pl/hir/pdf/Flyer\\_RS2-16M\\_US.pdf](http://www.produs.com.pl/hir/pdf/Flyer_RS2-16M_US.pdf) - [Similar pages](#)

Result Page:    [1](#) [2](#) [3](#) [4](#)    [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google